



Macomb County Health Department

Return to School Toolkit



Health
Department

Contents

Guidance Introduction	1
Symptoms of COVID-19	1
How Does COVID-19 Spread?	2
Droplets.....	2
Aerosols.....	2
Objects.....	2
Cloth Face Coverings Help Prevent the Spread of COVID-19.....	2
How Do We Get Infected with COVID-19?	3
Intensity of Exposure.....	3
Frequency of Exposure.....	3
Duration of Exposure	4
Personal Health	4
Managing COVID-19 in the School	4
Designate a COVID-19 Point of Contact	4
Identify Small Groups and Keep Them Together (Cohorting).....	4
Staggered Scheduling.....	4
Gatherings, Visitors, and Field Trips.....	4
International Travel.....	5
Recommendations for Screening and the Management of Confirmed Cases	5
COVID-19 Screening	5
<i>For School Staff</i>	5
<i>For Students</i>	5
<i>For Visitors</i>	5
School or the MCHD learn of a student or staff person diagnosed with Confirmed COVID-19.....	5
Identifying Close Contacts to a Confirmed Case.....	5
Who is a close contact?.....	5
Examples of Close Contacts in Schools	6
Contacts of Close Contacts.....	7
Reporting Close Contacts to the MCHD	7
Cleaning and Disinfecting Affected Area.....	7
Communication with Parents/Guardians and Staff	7

School Closures and Remote Learning..... 7

School Scenarios with Action Steps..... 8

 Student/Staff person is confirmed or symptomatic pending test results or a close contact..... 8

 Household member of a student within the school is confirmed or symptomatic pending test results or a close contact. 9

Resources..... 10

 MI Safe Schools Return to School Roadmap..... 10

 CDC Materials..... 10

 VIDEO: How to Wear a Cloth Face Covering..... 10

Appendix A: COVID-19 Employee Self-Screening Tool

Appendix B: COVID-19 Student Screening Tool

Appendix C: Student Households with Symptoms Flowchart

Appendix D: Close Contact Tracking Spreadsheet

Appendix E: COVID-19 Face Covering Medical Waiver

Guidance Introduction

This guidance document was written to coincide with MI Safe Schools: Michigan’s 2020-21 Return to School Roadmap and is intended to supplement a school’s Coronavirus Disease 2019 (COVID-19) Preparedness and Response Plan. This document is based on current information and recommendations from the Centers for Disease Control and Prevention (CDC) and may be revised and updated as new information becomes available. As long as there are cases of COVID-19 in the community, it will not be possible to prevent all COVID-19 transmission in schools. The goal is to keep the risk of transmission as low as possible so that school and school activities can be conducted as safely as possible.

Symptoms of COVID-19

Students and staff should not go to school or participate in any school activities if they are experiencing symptoms of COVID-19. If they begin having symptoms of COVID-19 while at school, they should be sent home. Symptoms of COVID-19 are listed on the CDC website at <https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html> and include:

Symptoms for Students to Monitor	Symptoms for Staff to Monitor
Temperature 100.4°F or higher when taken by mouth	Temperature 100.4°F or higher when taken by mouth
Sore throat	Sore throat
New uncontrolled cough that causes difficulty breathing (for students with chronic allergic/asthmatic cough, a change in their cough from baseline)	New or worsening cough, shortness of breath or difficulty breathing
Diarrhea, vomiting, or abdominal pain	Diarrhea, vomiting, or abdominal pain
New onset of severe headache, especially with fever	Headache
	Chills or rigors (severe chills with shivering)
	Loss of taste or smell
	Runny nose or congestion
	Muscle Aches
	Fatigue
	Nausea

The parent/guardian of a student with COVID-19 symptoms should be instructed to call their health care provider, or if they do not have a health care provider, to follow up with a local clinic or urgent care center. The parent/guardian can also call 2-1-1 or go to www.mi.gov/coronavirustest or www.macombgov.org/COVID19 to find the closest location to have the student tested for COVID-19. Staff with symptoms of COVID-19 should also be evaluated by a health care provider and tested for COVID-19.

There is some overlap between the list of COVID-19 symptoms and the symptoms of other common ailments, including seasonal allergies. Students or staff with pre-existing health conditions that experience COVID-19-like symptoms may not need to be excluded from school if a health care provider has evaluated them and determined the symptoms were related to an illness other than COVID-19.

How Does COVID-19 Spread?

COVID-19 can spread by droplets (most likely), aerosols (less likely), and objects (least likely).

Droplets

Droplets are small particles that enter the air when people cough, sneeze, laugh, yell, or talk. They are little flecks of spit. Droplets tend to settle out of the air after traveling several feet from the person who generated them. Droplets can also spread directly by kissing or sharing personal items like drinks, vape pens, or silverware. Reducing the spread of droplets can be accomplished by wearing a face covering, avoiding large groups of people, and staying more than 6 feet away from others.

Aerosols

Aerosols are even smaller than droplets and are created when people breathe, talk, sing, sneeze, or cough. They are lighter and can stay in the air much longer than droplets but dry up more quickly. Reducing the spread of aerosols may be accomplished by increasing outdoor air ventilation or by filtering air that is recirculated.

Objects

Objects can spread the COVID-19 virus when droplets or aerosols settle on them or when someone with COVID-19 touches their nose or mouth and then touches an object. The COVID-19 virus may stay on objects for one to three days. The spread of COVID-19 through objects may be reduced by encouraging frequent handwashing, instructing people not to touch their face, frequent cleaning and disinfection, and the use of automatic or touchless controls.


Cloth Face Coverings Help Prevent the Spread of COVID-19

Cloth face coverings help prevent people who have COVID-19 from spreading the virus to others. Wearing a cloth face covering helps protect people around you. The spread of COVID-19 can be reduced when cloth face coverings are used along with other preventive measures, including social distancing, frequent handwashing, and cleaning and disinfecting frequently touched surfaces. Face coverings are required or recommended depending on the setting and the phase of reopening outlined in the MI Safe Schools: Michigan's 2020-21 Return to School Roadmap. It is anticipated that most districts will establish some type of cloth facial covering requirements. Students or staff persons who are unable to wear a cloth face covering for medical reasons should provide a statement from their healthcare provider ([Appendix E](#)).

Phase	Environment	Staff	Early Childhood (ages 2-5)	Grades K-5	Grades 6-12
Phases 1-4	Classrooms/ small groups	Required, except during meals	Should be considered*	Should be encouraged*	Required, except during meals
	Common spaces	Required, except during meals	Should be considered*	Required, except during meals	Required, except during meals
	Transportation	Required	Required	Required	Required
	Outside with social distancing	Not required	Not required	Not required	Not required
Phase 5	All environments	Requirements move to recommendations.			

* Although cloth face coverings are not required in these settings, they should be encouraged if tolerated.

Note: *Plastic face shields are not a replacement for cloth face coverings, but may be used in conjunction with cloth face coverings in any of the above settings. In settings in which cloth face masks are not required, plastic face shields may be worn alone, and may offer some degree of protection.*



How Do We Get Infected with COVID-19?

Intensity of Exposure

The intensity of exposure refers to how much virus a person is exposed to. Was the infected person actually contagious when someone was exposed to them? Were they coughing and sneezing without a face covering versus having no symptoms with a face covering on? Did they kiss someone? Did they share personal items like a drink or a vape pen? Did they sit right next to others and have a face-to-face conversation with them or were they 6 feet away with their back to them? Some situations can cause a person to be exposed to more virus than other situations. The more virus a person is exposed to, the more likely they are to get sick.

Frequency of Exposure

The frequency of exposure refers to how often a person had contact with someone who was contagious. If a person had a brief face-to-face conversation with a teacher every day for several days while the teacher was contagious with COVID-19, those interactions may add up to be enough exposure to overwhelm a person's immune system and lead to an infection.

Duration of Exposure

The duration of exposure refers to how long a person was exposed. If a person was in a classroom with someone with COVID-19 for six hours a day for several days, yet their seat was not within six feet of the person with COVID-19, the duration of exposure may be sufficient to result in transmission particularly from aerosols and objects in that classroom.

Personal Health

Personal health, including the status of a person's immune system, may also play a role in whether or not they get infected and how severe their illness may be.

Managing COVID-19 in the School

Designate a COVID-19 Point of Contact

Schools should designate a staff person (e.g., school nurse) to be responsible for responding to COVID-19 concerns as well as a secondary person to help with difficult situations and cover absences. All school staff and families should know who this person is and how to contact them.

Identify Small Groups and Keep Them Together (Cohorting)

Although keeping students 6 feet apart is one of the preferred mitigation strategies, this may be difficult to achieve in a school setting. Another important tool to help contain the spread of COVID-19 in schools is the cohorting of students and staff. Cohorts may be identified by classroom and/or groups within a classroom. Cohorts are important because they limit the number of students and teachers who are exposed to COVID-19 should someone at school be contagious.

A cohort should stay together as much as possible throughout the day. For example, a cohort should eat together in the cafeteria or have recess together on the playground. Older students can stay with a cohort through their core classes. There should be limited interactions between different cohorts and student and staff groupings should be as fixed as possible (all day for young children and as much as possible for older children).

Staggered Scheduling

- Arrival and drop-off times or locations should be staggered by cohort to limit contact between cohorts and to limit direct contact with parents/guardians as much as possible.
- When possible, staff should be permitted to use flexible worksites and flexible work hours to help establish social distancing between employees and other persons.

Gatherings, Visitors, and Field Trips

- Schools should pursue virtual group events, gatherings, or meetings, if possible, and promote social distancing of at least 6 feet between people if events are held. Group sizes should be limited to the extent possible.
- Schools should limit the number of nonessential visitors and volunteers who enter the school building and should limit activities involving external groups or organizations.
- Schools should pursue virtual activities and events in lieu of field trips, student assemblies, special performances, and school-wide parent/guardian meetings as much as possible.

- Sporting events should be conducted in ways that minimizes the risk of transmission of COVID-19 to players, families, coaches, and communities.

International Travel

Persons who have traveled internationally should stay home for 14 days (quarantine) after returning from travel. Students who are excluded from school should have the opportunity to make up any missed classwork.

Recommendations for Screening and the Management of Confirmed Cases

COVID-19 Screening

For School Staff

All staff should self-monitor for symptoms of COVID prior to leaving for work each day. An example of an employee self-monitoring screening tool is in [Appendix A](#). Another option is to use a virtual screener like the MI Symptom App (<https://misymptomapp.state.mi.us/login>) developed by the Michigan Department of Health and Human Services (MDHHS).

For Students

CDC does not currently recommend universal symptom screenings (screening all students, grades K-12) be conducted by schools. Parents/guardians should be encouraged to monitor their children for signs and symptoms of infectious illness every day before they leave for school. An example of a screening tool for parents/guardians is in [Appendix B](#). Students who are sick should not attend school in-person.

For Visitors

All visitors entering the school (e.g., delivery persons, mail carriers, food vendors, parents/guardians) should be screened prior to entry. Any individual who does not meet the screening criteria should not be granted access to the school.

School or the MCHD learn of a student or staff person diagnosed with Confirmed COVID-19

Cases of confirmed COVID-19 in students or staff must be reported to the MCHD. A school will be notified by the MCHD if a case is reported to the Health Department by a healthcare provider or laboratory. Only a select few people at a school should know the identity of the person with COVID-19. These few individuals are critical to help identify close contacts and to determine which areas of the school may need cleaning and disinfection. See [Responding to Cases of COVID-19 in Students, Teachers and Staff](#) for more specific information.

Identifying Close Contacts to a Confirmed Case

A person with confirmed COVID-19 is considered to be contagious 48 hours prior to symptom onset or, if asymptomatic, 48 hours prior to the date a person was tested for COVID-19. All individuals who were in contact with the case in that timeframe should be identified by the school. The MCHD will work with the school to determine who meets the definition of a close contact. These individuals are at higher risk of developing an infection and are required to quarantine for at least 14 days.

Who is a close contact?

A close contact is most often someone who has been within 6 feet (about 2 arm lengths) of an infected person for at least 15 minutes with or without a face covering. The MCHD may determine that a distance beyond 6

feet or a time period of less than 15 minutes can still result in a high risk of transmission based on other considerations and circumstances.

Examples of Close Contacts in Schools

Assuming all COVID-19 prevention methods have been followed (everyone has been consistently and properly using face coverings, washing hands frequently, maintaining physical distancing as best as possible), close contacts may include:

- **Teachers:** Current information indicates that adults may be more contagious than young children. If a teacher with COVID-19 has not stayed at least 6 feet away from students while teaching, the entire class may need to be quarantined.
- **Classmates:** Classmates sitting within 6 feet of a student with COVID-19 are considered close contacts unless this occurred only one time and it was for less than 15 minutes. This would typically involve one or two rows of classmates sitting closest to the contagious case.
- **Lunch mates:** Lunch mates sitting within 6 feet of a student with COVID-19 are considered close contacts. This is considered a high risk situation because face coverings are not worn during eating.
- **Playmates:** Playmates on a playground or in a gym who are within 6 feet of a student with COVID-19 are considered close contacts unless the interaction was brief (less than 15 minutes), no common items were shared and locker room time was not shared.
- **Sports teammates:** Teammates who were within 6 feet of a student with COVID-19 are considered close contacts unless the interaction were brief (less than 15 minutes), no common items were shared and locker room time was not shared.

Parents/guardians should be aware of where their child has been and who they have spent time with outside of school. This will help identify close contacts outside of school should someone become infected.

Contacts of Close Contacts

Since close contacts are not yet known to be infected, the contacts to those contacts do not need to be identified or quarantined.

Example of a contact of a contact:

Bob sits next to Fred in class. Fred gets sick with COVID-19. Bob needs to be in quarantine but is healthy at this time. Bob plays on the football team. No one on the football team has been near Fred. Therefore, the football team doesn't need to be notified about Fred being sick.

Reporting Close Contacts to the MCHD

Schools should identify and report potential close contacts to the MCHD within 24 hours of receiving notification of a confirmed case. [Appendix D](#) may be used to collect this information.

Cleaning and Disinfecting Affected Area

The school should close off areas used by an infected person for 24 hours prior to cleaning and disinfecting. If 24 hours is not feasible, wait as long as possible. Ensure safe and correct usage and storage of cleaning and disinfection products ([Reopening Guidance for Cleaning and Disinfecting Public Spaces, Workplaces, Businesses, Schools, and Homes](#)).

Communication with Parents/Guardians and Staff

Schools should notify all families and staff if a confirmed case of COVID-19 is identified in a school. Identified close contacts should receive a separate communication indicating the need for school exclusion and a quarantine period. The identity of a person with COVID-19 must be kept confidential following the requirements of the Family Education Rights and Privacy Act (FERPA) and the Health Insurance Portability and Accountability Act (HIPAA). The MCHD will provide letters that may be used for these communications.

School Closures and Remote Learning

There may be a time where cases in a school increase to a point where closing the school for in-person learning might be the best option to protect students and staff. The need to close a school for a period of time because of COVID-19 illness will be determined by the district superintendent on a case-by-case basis in consultation with the MCHD.

School Scenarios with Action Steps

Student/staff person is confirmed or symptomatic pending test results or a close contact.			
Scenario 1:	Scenario 2:	Scenario 3:	Scenario 4:
<p>A student/staff person within the school is confirmed to have COVID-19 (tests positive for COVID-19 with a nasal/throat swab).</p>	<p>A student/staff person within the school is symptomatic and the test result for COVID-19 is pending.</p>	<p>A student/staff person within the school is symptomatic and no testing for COVID-19 was done.</p>	<p>A student/staff person within the school is a close contact to a confirmed COVID-19 case.</p>
<p>The student/staff person AND all household members of the student/staff person are immediately excluded from school.</p> <p>The confirmed positive student/staff person must isolate at home. The student/staff person must be excluded from school until:</p> <ul style="list-style-type: none"> • 24 hours with no fever (without the use of fever-reducing medication) and • Symptoms have improved and • 10 days since symptoms first appeared. <p>Household members and the quarantined student/staff persons who are close contacts are excluded for 14 days after their last date of close contact.</p>	<p>The student/staff person is excluded from school until results of the test are available.</p> <p>If the test result is positive, see Scenario 1.</p> <p>If the test result is negative and the ill student had close contact to someone with COVID-19, they must still complete a 14-day quarantine period.</p> <p>If the result is negative and the ill student had no known exposure to COVID-19, the student/staff person may return based on the guidance for their predominate symptoms (see Managing Communicable Diseases in Schools).</p> <p>Household members and student/staff persons who are close contacts of the pending case (assuming the case has no history of COVID-19 exposure), prior to lab results, should be monitored for symptoms while waiting for test results. They do not need to be excluded from school. If symptoms develop, they should call their healthcare provider to be tested for COVID-19.</p>	<p>For ALL STAFF and for STUDENTS who also answered YES to any question in Section 2 of the Screening Form: The student/staff person is excluded from school until:</p> <ul style="list-style-type: none"> • 24 hours with no fever (without the use of fever-reducing medication) and • Symptoms have improved and • 10 days since symptoms first appeared. <p>For STUDENTS, if they answered NO to all of the questions in Section 2 of the Screening Form, the student may return based on the guidance for their predominate symptoms (see Managing Communicable Diseases in Schools).</p> <p>Household members and student/staff persons who are close contacts: if the individual with symptoms had close contact with a confirmed case of COVID-19 and the suspicion for COVID-19 is high, they may need to be excluded from school. Consult with the MCHD. Otherwise, household members and student/staff persons who are close contacts do not need to be excluded from school. If symptoms develop, they should call their healthcare provider to be tested for COVID-19.</p>	<p>The student/staff person must be quarantined for 14 days since last date of close contact.</p> <p>Household members, classmates, and teachers of the quarantined student/staff person may continue to attend school and should monitor for symptoms. They do not need to be excluded from school. If symptoms develop, they should call their healthcare provider to be tested for COVID-19.</p>

Household member of a student within the school is confirmed or symptomatic pending test results or a close contact.

Scenario 1:	Scenario 2:	Scenario 3:
Household member of a student within the school has been confirmed to have COVID-19.	Household member of a student within the school is symptomatic, pending test results, and has had close contact with a known case.	Household member of a student within the school has had close contact to a known case of COVID-19.
Students who live in the same house as the COVID-19 positive person are excluded from school while the household member is in isolation (10 days). The student must quarantine for 14 days after the last date of close contact while they were contagious.	Students who live in the same household of the family member are excluded from school until test results are available. If the household member is positive, see Scenario 1 . If the household member is negative, the student may be able to return to school unless the household member is determined to be a probable case of COVID-19.	The student can remain in school but should be monitored. They do not need to be excluded from school. If COVID -19 symptoms develop in the household member, students should be excluded from school, and should be treated as in Scenario 1 pending results.

There is no need for a negative test or a doctor’s note to clear a student or staff person to return to school if they have met all isolation and quarantine criteria. The MCHD will issue an Isolation and Quarantine Completion Letter once an individual completes isolation/quarantine.

Resources

MI Safe Schools Return to School Roadmap

Follow the instructions of the [MI SAFE SCHOOLS: Michigan's 2020-2021 Return to School Roadmap](#) for the current Macomb County reopening phase.

CDC Materials

[*Class Rules*](#)

[*Cover Coughs and Sneezes*](#)

[*Did you Wash Your Hands?*](#)

[*Do it for Yourself and your Friends*](#)

[*Don't Feel Well? Stay Home When You Are Sick*](#)

[*Don't Let Your Germs Go for a Ride*](#)

[*Help Protect Yourself and Others from COVID-19*](#)

[*Keep Space Between You and Others*](#)

[*Please Wear a Cloth Face Covering*](#)

[*Available in multiple languages*](#)

[*Protect Yourself and Others from COVID-19*](#)

[*Slow the Spread of COVID-19*](#)

[*Stop the Spread*](#)

[*Stop the Spread of Germs*](#)

[*Available in multiple languages*](#)

[*Symptoms of Coronavirus \(COVID-19\)*](#)

[*Wear a Cloth Face Covering to Protect You and Your Friends*](#)

[*What Your Test Results Mean*](#)

[**VIDEO: How to Wear a Cloth Face Covering**](#)

COVID-19 Employee Health Self-Screening

Monitor your health each day prior to reporting to work. If you begin to show symptoms of COVID-19, do not report to work and contact your supervisor.

Section 1: In the last 24 hours, have you developed any of the following symptoms that are new/different/worse from baseline of any chronic illness:

Cough:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Shortness of breath:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Difficulty breathing:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
New loss of smell:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
New loss of taste:	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Section 2: In the last 24 hours, have you developed any of the following symptoms that are new/different/worse from baseline of any chronic illness:

Fever (measured or subjective):	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Chills or rigors (severe chills with shivering):	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Headache:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Sore throat:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Loss of smell or taste:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Runny nose or congestion:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Muscle aches:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Abdominal pain:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Fatigue:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Nausea:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Vomiting:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Diarrhea:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Current Temperature:		

DISCLAIMER: This screening tool is subject to change based on the latest COVID-19 information.

If you answer **YES** to any of the symptoms listed in **Section 1**, **OR YES** to two or more of the symptoms listed in **Section 2**, **OR** your current measured temperature is **100.4°F or higher**, please do not go into work. Self-isolate at home and contact your healthcare provider for direction and possible testing for COVID-19.

In the past 14 days, have you:

Had close contact with an individual diagnosed with COVID-19?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
---	------------------------------	-----------------------------

If you answer **YES** to the above question, please do not go into work. Self-quarantine at home for 14 days. Contact your healthcare provider if you have symptoms.



Student Self-Screening Sheet

Screen your child(ren) before leaving for school or sending them to school. These symptoms may indicate a possible illness that may decrease your child's ability to learn and put them at risk for spreading illness to others.

Section 1: Symptoms

- Temperature 100.4 degrees Fahrenheit or higher when taken by mouth
- Sore throat
- New uncontrolled cough that causes difficulty breathing (for students with chronic allergic/asthmatic cough, a change in their cough from baseline)
- Diarrhea, vomiting, or abdominal pain
- New onset of severe headache, especially with a fever

Section 2: Close Contact/Potential Exposure

In the past 14 days has your child(ren):

- Had close contact (within 6 feet of an infected person for at least 15 minutes) with a person with confirmed COVID-19: OR
- Traveled to or lives in an area with a high level of transmission of COVID-19

If the answer is **YES** to any of the **symptom** questions, keep your child(ren) home from school.

If the answer is **YES** to any symptom question and **YES** to any close contact/potential exposure question, call the school as soon as possible to let them know the reason your child(ren) won't be there today. Call your healthcare provider right away. If you don't have one or cannot be seen, go to www.mi.gov/coronavirustest or call 2-1-1 to find a location to have your child(ren) tested for COVID-19.

If the answer is **YES** to any of the symptom questions, but **NO** to all close contact/potential exposure questions, your student may return based on the guidance for their symptoms (see [Managing Communicable Diseases in Schools](#)):

- **Fever:** at least 24 hours have passed with no fever, without the use of fever-reducing medications
- **Sore throat:** improvement (if strep throat: do not return until at least 2 doses of antibiotic have been taken);
- **Cough/Shortness of breath:** improvement
- **Diarrhea, vomiting, abdominal pain:** no diarrhea or vomiting for 24 hours
- **Severe headache:** improvement

DISCLAIMER: This screening tool is subject to change based on the latest information on COVID-19.

Source: Centers for Disease Control and Prevention; [Screening K-12 Students for Symptoms of COVID-19: Limitations and Considerations](#)

How to handle symptoms and household exposures for students



Student has symptom(s) (new/different/worse from baseline of any chronic illness):

- Temperature of 100.4 or signs of fever (chills/sweating)
- Sore throat
- Uncontrolled cough that causes difficulty breathing
- Diarrhea, vomiting, or abdominal pain
- Severe headache

Exclude student from school

Screen for close contact or potential exposure risk within last 14 days.

- Student had close contact with a person with confirmed COVID-19.
- Student traveled to or lives in an area with a high level of COVID-19 transmission

Yes

Refer to healthcare provider or COVID-19 testing location for possible testing.

Student **diagnosed** with COVID-19 OR **no diagnosis** is available.

Student has **negative** test results.

Student had close contact with confirmed COVID-19 within last 14 days.

No

Student may return based on this guidance for their symptoms

- **Fever:** at least 24 hours have passed with no fever without the use of fever-reducing medications
- **Sore throat:** improvement (if strep throat: do not return until at least 2 doses of antibiotic have been taken)
- **Cough/Shortness of breath:** improvement
- **Diarrhea, vomiting, abdominal pain:** no diarrhea or vomiting for 24 hours
- **Severe headache:** improvement

Yes

No

Finish Quarantine

Home Isolation until:

- At least 10 days since symptoms first appeared **and**
- At least 24 hours with no fever without fever-reducing medication **and**
- Symptoms have improved

COVID-19 Face Covering Medical Waiver Form

PLEASE COMPLETE TOP SECTION BEFORE GIVING IT TO YOUR HEALTHCARE PROVIDER

Student/School Staff Name:	_____
Date of Birth:	_____
School Name:	_____

The above-named individual requires documentation that they are unable to wear a facial covering due to a medical condition. Schools are required to obtain this documentation as they are with any other accommodation*. We appreciate your time and assistance in this matter.

The above-named individual **cannot** medically tolerate a face covering due to the following medical condition:

____ Medical condition that causes trouble breathing

____ Medical condition that makes them unable to remove the cloth face covering without assistance

____ Has neither of the above contraindications to mask use

If unable to medically tolerate a face covering, this student/staff member **is able** to use a face shield

____ Yes

____ No

Healthcare provider name: _____

Signature: _____

Date: _____

Phone Number: _____

**The list of acceptable conditions along with the guidance for schools to require this documentation from a medical professional has been provided by the State of Michigan and can be found at https://www.michigan.gov/coronavirus/0,9753,7-406-98178_98455-535121-,00.html.

